



Material Safety Data Sheet

NFPA	WHMIS	PPE	Transport Symbol
	Non-controlled		Not regulated

Revision Date: 10-Sep-2012

Revision Number: 2

1. PRODUCT AND COMPANY IDENTIFICATION

Product Name: Honda VTM-4 Differential Fluid (U.S.), 6 X 1 Gallon Case
Product Code: 1665-059
Recommended use: Automotive Lubricant

Contact Manufacturer
 Idemitsu Lubricants America,
 701 Port Rd.
 Jeffersonville, IN. 47130
 Telephone: 812-285-8234
 Fax: 812-285-8243
 Contact Name: Robin Hutchens
 Email: rhutchens@ilacorp.com

Emergency Telephone Number Chemtrec 1-800-424-9300

2. HAZARDS IDENTIFICATION

CAUTION!
Emergency Overview
 Vapors may be irritating to eyes, nose, throat, and lungs

Appearance Red / Clear

Physical State: Liquid

Odor: Mild

Mexico - Grade Slight risk, Grade 1

Potential Health Effects

Principle Routes of Exposure Skin, Eye

Acute Effects

Eyes May cause slight irritation

Skin May cause skin irritation and/or dermatitis

Inhalation	Contains a petroleum-based mineral oil. May cause respiratory irritation or other pulmonary effects following prolonged or repeated inhalation of oil mist at airborne levels above the recommended mineral oil mist exposure limit. Symptoms of respiratory irritation may include coughing and difficulty breathing
Ingestion	May be harmful if swallowed
Chronic Effects	This product contains a petroleum-based mineral oil. Prolonged or repeated skin contact can cause mild irritation and inflammation characterized by drying, cracking, (dermatitis) or oil acne. Repeated or prolonged inhalation of petroleum-based mineral oil mists at concentrations above applicable workplace exposure levels can cause respiratory irritation or other pulmonary effects

See Section 11 for additional Toxicological information.

Potential Environmental Effects See Section 12 for additional Ecological information.

3. COMPOSITION/INFORMATION ON INGREDIENTS

While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this MSDS contains valuable information critical to the safe handling and proper use of the product. This MSDS should be retained and available for employees and other users of this product.

Chemical Name	CAS-No	Weight %
2,6-di-tert-butyl p-cresol	128-37-0	0.1 - 1

Non-Hazardous Components

Chemical Name	CAS-No	Weight %
Lubricating Base Stocks	Mixture	>75

4. FIRST AID MEASURES

General Advice	If symptoms persist, call a physician. Show this safety data sheet to the doctor in attendance.
Eye Contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If symptoms persist, call a physician.
Skin contact	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. If skin irritation persists, call a physician.
Inhalation	Move to fresh air in case of accidental inhalation of vapors. If breathing is difficult, give oxygen. If not breathing, give artificial respiration. Call a physician immediately.
Ingestion	Do not induce vomiting without medical advice. If vomiting occurs naturally, have casualty lean forward to reduce the risk of aspiration. Swallowing small quantities of diluted product may cause nausea, diarrhea or abdominal distress. Consult a physician.
Protection of First-aiders	Use personal protective equipment. Avoid contact with skin, eyes and clothing.

5. FIRE-FIGHTING MEASURES

Flammable Properties

NFPA: Class IIIB Combustible Liquid

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Hazardous combustion products

During a fire, smoke may contain the original material in addition to combustion products of varying composition which may be toxic and / or irritating. Combustion products may include and are not limited to, Oxides of Boron, Carbon oxides, Calcium Oxides (CaOx), Oxides of Magnesium, Nitrogen oxides (NOx), Oxides of Phosphorus, Sulphur oxides, Zinc oxides.

Specific Hazards Arising from the Chemical

Keep product and empty container away from heat and sources of ignition

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear

NFPA **Health:** 1 **Flammability:** 1 **Instability:** 0

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions

Avoid contact with the skin and the eyes. Use personal protective equipment. Remove all sources of ignition. Avoid breathing vapors or mists. Ensure adequate ventilation.

Environmental Precautions

Prevent further leakage or spillage if safe to do so. Prevent product from entering drains. Do not allow material to contaminate ground water system. Do not flush into surface water or sanitary sewer system.

Methods for Clean-up

Contain and collect spillage with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Pick up and transfer to properly labeled containers.

Spill Management

LARGE SPILLS

Eliminate sources of ignition. Prevent additional discharge of material if possible to do so without hazard. For small spills implement cleanup procedures; for large spills implement cleanup procedures and, if in public area, keep public away and advise authorities. Also, if this product is subject to CERCLA reporting (see Section 15 Regulatory Information) notify the National Response Center.

WATER SPILLS

Prevent liquid entering sewers, watercourses, or low areas. Contain spilled liquid with sand or earth. Recover by pumping or with suitable absorbent. If liquid is too viscous for pumping, scrape up. Consult an expert on disposal of recovered material and ensure conformity to local disposal regulations

7. HANDLING AND STORAGE

Handling

Wear personal protective equipment. Do not breathe vapors or spray mist. Remove and wash contaminated clothing before re-use. Keep away from open flames, hot surfaces and sources of ignition. Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapors).

Storage

Keep in properly labeled containers. Keep container tightly closed in a dry and well-ventilated place.

Safe Handling Advice

Handle in accordance with good industrial hygiene and safety practices.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure Guidelines

Hazardous Components

Chemical Name	ACGIH TLV	OSHA PEL	Ontario TWAEV	Mexico	NIOSH IDLH	ILA Internal Exposure Limit
2,6-di-tert-butyl p-cresol	TWA: 2 mg/m ³		TWA: 2 mg/m ³	STEL: 20 mg/m ³ TWA: 10 mg/m ³		

Other Exposure Guidelines (If Generated)

Chemical Name	OSHA PEL	ACGIH TLV	ACGIH OEL (STEL)	NIOSH REL TWA	ILA IHG	ILA ROEG	ILA Internal Exposure Limit
Oil mist, mineral	TWA: 5 mg/m ³	TWA: 5 mg/m ³		TWA 5 mg/m ³ ST 10 mg/m ³			

Engineering measures

Ensure adequate ventilation, especially in confined areas. Consider the potential hazards of this material (see Section 2), applicable exposure limits, job activities, and other substances in the work place when designing engineering controls and selecting personal protective equipment. If engineering controls or work practices are not adequate to prevent exposure to harmful levels of this material, the personal protective equipment listed below is recommended. The user should read and understand all instructions and limitations supplied with the equipment since protection is usually provided for a limited time or under certain circumstances.

Personal Protective Equipment

Eye/face Protection

Safety glasses equipped with side shields are recommended as minimum protection in industrial settings.

Skin Protection

Wear protective gloves/clothing. Use clean protective clothing if splashing or spraying conditions are present. Protective clothing may include long-sleeve outer garment, apron, or lab coat. **Glove Type:** Neoprene, Nitrile Rubber, Nitriles, Butyl-Rubber

Respiratory protection

If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.

General Hygiene Considerations

When using, do not eat, drink or smoke. Clean equipment, work area and clothing regularly.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	Red / Clear
Odor:	Mild
Physical State:	Liquid
Flash Point	> 170°C / 338°F
Method	COC ASTM D92
Density	0.86 g/cm ³ @15°C
Viscosity	@ 40C = 30.14 cSt; @ 100C = 7.32 cSt

10. STABILITY AND REACTIVITY

Chemical Stability	Stable under recommended storage conditions.
Conditions to Avoid	Heat, flames and sparks
Incompatible Materials	Strong oxidizing agents
Hazardous decomposition products	Thermal decomposition can lead to release of irritating gases and vapors.

11. TOXICOLOGICAL INFORMATION

Acute Toxicity

Product Information (Estimated):

LD50 Oral:	> 10,000 mg/kg
LD50 Dermal:	> 10,000 mg/kg
LC50 Inhalation:	47,438 mg/m ³ (dust)
LC50 Inhalation:	> 10,000 ppm (vapor)

Hazardous Components

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
2,6-di-tert-butyl p-cresol	890 mg/kg (Rat)		

Chronic Toxicity

Carcinogenicity:

The petroleum base oils contained in this product have been highly refined by a variety of processes including solvent extraction, hydrotreating, and dewaxing to remove aromatics and improve performance characteristics. All of the oils meet the IP-346 criteria of less than 3 percent PAH's and therefore none are listed as a carcinogen by NTP, IARC, or OSHA

Hazardous Components

Chemical Name	ACGIH	IARC	NTP	OSHA	Mexico
2,6-di-tert-butyl p-cresol		Group 3			A4 - Not classifiable as a human carcinogen

12. ECOLOGICAL INFORMATION

Ecotoxicity

Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment

Hazardous Components

Chemical Name	Freshwater Algae	LC50 Fresh Water Fish	Microtox	Water Flea
2,6-di-tert-butyl p-cresol	EC50 = 6 mg/L 72 h EC50 > 0.42 mg/L 72 h	48 h	EC50 = 7.82 mg/L 5 min EC50 = 8.57 mg/L 15 min EC50 = 8.98 mg/L 30 min	

Hazardous Components

Chemical Name	EC50/48h/daphnia =	log Pow
2,6-di-tert-butyl p-cresol		4.17

13. DISPOSAL CONSIDERATIONS

Hazard characteristic and regulatory waste stream classification can change with product use. Accordingly, it is the responsibility of the user to determine the proper storage, transportation, treatment and/or disposal methodologies for spent materials and residues at the time of disposition.

Waste Disposal Method This material, as supplied, is not a hazardous waste according to Federal regulations (40 CFR 261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste. Consult the appropriate state, regional, or local regulations for additional requirements.

Contaminated Packaging Dispose of in accordance with local regulations

14. TRANSPORT INFORMATION

DOT Not regulated

IATA Not regulated

IMDG/IMO Not regulated

15. REGULATORY INFORMATION

International Inventories

All components in the product are on the following Inventory Lists: U.S.A. (TSCA), Canada (DSL/NDSL), Australia (AICS), Korea (ECL), Japan (ENCS), Philippines (PICCS).

Hazardous Components

Chemical Name	TSCA	DSL	NDSL	EINECS	ELINCS	ENCS	CHINA	KECL	PICCS	AICS	NZIoC
2,6-di-tert-butyl p-cresol	X	X	-	X	-	X	X	X	X	X	X

USA

Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazardous Categorization

Acute Health Hazard No
Chronic Health Hazard No

Fire Hazard	No
Sudden Release of Pressure Hazard	No
Reactive Hazard	No

CERCLA/SARA 302 & 304

Section 302 & 304 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 355.

Chemical Name	CAS-No	Weight %	RQ	TPQ
Aniline	62-53-3	<0.001	5000 lb final RQ 2270 kg final RQ	1000 lb TPQ
Ethylene diamine	107-15-3	<0.01	5000 lb final RQ 2270 kg final RQ	10000 lb TPQ
Fumaric acid	110-17-8	<0.01	5000 lb final RQ 2270 kg final RQ	

Clean Air Act, Section 112 Hazardous Air Pollutants (HAPs) (see 40 CFR 61)

This product contains the following HAPs:

Chemical Name	CAS-No	Weight %
Aniline	62-53-3	<0.001

State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals:

Chemical Name	CAS-No	Weight %	California Prop. 65	Maximum Allowable Dose for Reproductive Toxicity (MADLS)	Safe Harbor Limits for Cancer-causing Chemicals (NSRLs)
Aniline	62-53-3	<0.001	Carcinogen		100 µg/day

State Right-to-Know

This product does not contain any substances regulated by state right-to-know regulations.

Predominant Ingredients - NJRTK

Chemical Name	CAS-No
Lubricating oils, petroleum, C15-30, hydrotreated neutral oil-based	72623-86-0
White mineral oil	8042-47-5
Lubricating oils, petroleum, C15-30, hydrotreated neutral oil-based, contg. solvent deasphalted residual oil	72623-84-8
Amines, polyethylenepoly-, reaction products with succinic anhydride polybutenyl derivatives	68439-80-5
2-Propenoic acid, 2-methyl-, dodecyl ester, polymer with eicosyl 2-methyl-2-propenoate, hexadecyl 2-methyl-2-propenoate, methyl 2-methyl-2-propenoate, octadecyl 2-methyl-2-propenoate, pentadecyl 2-met	63150-07-2

Canada

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR.

WHMIS Hazard Class Non-controlled

Chemical Name	Weight %	CAS-No	NPRI
2,6-di-tert-butyl p-cresol	0.1 - 1	128-37-0	Part 1, Group 1 Substance

Legend NPRI - National Pollutant Release Inventory

16. OTHER INFORMATION

Prepared By Susie Bibb
Revision Date: 10-Sep-2012
Revision Summary: 3 Year Review , SARA 302 Change, HAP(s) information change, Added the NJRTK Predominant Ingredients .

Disclaimer:

The information provided on this MSDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

End of Safety Data Sheet